



Tempo Standard - Temporary Traffic Lights with Remote Control

Ref: 21698

tempo
STANDARD

With over 20 years experience, Tempo was the first LED traffic light with a timer countdown on the market. Equipped with 7 standard programs, it adapts to manage all temporary traffic management requirements.

Tempo Standard Traffic Lights are fully compliant with Ireland's Department of Transport 2025 Advice Note on sequence of lights requirements for temporary roadworks use



- LED countdown timer - minutes & seconds
- Unrivalled autonomy - up to 2 months when using a 200Ah. battery
- Universal remote control for the entire Tempo range.
- 7 serial programs available
- Security system available as an option
- Fork passage integrated into the feet.



Tempo Temporary Traffic Lights with Remote Control

Ref: 21698



Waiting Time Display:

The LED countdown timer shows the red light waiting time in minutes and seconds. The waiting time countdown display helps prevent motorists breaking the red light.



Clear programming:

With a clear transcription of the remote control's actions on the display, coupled with its ergonomic infrared programming module, managing traffic at a roadworks or construction site has never been so easy.



Adapts to all Site Requirements:

7 Programmable configurations are available on Tempo Standard traffic lights.

Flexibility is the key word. The Tempo light in its standard version also provides the ability to manage alternating traffic at 3 and 4 way junctions/crossroads.



❖ Alternating



❖ T-Junction



❖ 4-Way Crossroads



Ultra-Resistant Optics:

Tempo traffic light optics are integrated with their electronic circuits inside a moulded ABS dome fitted on the front with a polycarbonate protective lens. The assembly has an IK10 protection index against shock and IP55 against dust and water, even projected at high pressure.



Easy Handling:

Tempo is the only construction site traffic light equipped with a forklift as standard

It's handling handles are perfectly placed in relation to its centre of gravity and allows each Tempo traffic light to be handled with limited effort.



Tempo Temporary Traffic Lights with Remote Control

Ref: 21698

180° opening of the hood:

Fully opening the cover allows complete easy positioning of the battery



The mast can be completely separated from the box giving our light: **the smallest footprint on the market.**




TECHNICAL INFORMATION

Operating mode	Alternating, turning or crossroads - 2, 3 or 4 lights.
Power supply	12V battery or 230/12V power supply.
Autonomy	1 month with 12V 100 Ah battery or 2 months with 12V 200 Ah battery
Protection	Protection of light optics and control electronics: IP 56.
Size (L x l x h)	H: Closed mast 1.55 m – open 2.50 m / L: 548 mm / W: 960 mm
Weight	85 Kg (excluding battery) - per set of two lights.
Equipment	Each set includes 2 masts, 2 lockable boxes c/w a programming remote control. Each optic set comprises 210/80 LEDs with high intensity and low consumption (Red, Yellow & Green) with a 200mm Dia. LED countdown timer
Options	Vehicle detection - Tempo Regulation/ Remote control / Radio.

The TEMPO Range

tempo
STANDARD



Up to **2** months*
of autonomy
(*) with a 200 Ah battery

tempo 
SOLAR




Up to **1** year*
of autonomy
(*) with a 200 Ah battery

tempo 
RÉGULATION




tempo 
OPTIONS



Available with Security Options

Theft delay arm tube

Ref 47110



Protection cage

Ref 41186



Do you know all the options?

tempo 
OPTIONS



RELATED PRODUCTS



376 Battery 12 V / 200 Ah



1992 Battery 12 V / 100 Ah



21551 12 V / 25 A / 300 W



26758
Charger for battery from 12 V / 8 A / 96 W



9322
Battery Fixing Straps



1522
Mains Supply 230 / 12 V